

**Chapel Hill to Charleston  
Otus asio Tours**

<b>COMMON NAME</b>	<b>SCIENTIFIC NAME</b>	4/19	4/20	4/21	4/22	4/23	4/24	4/25	Tour
<b>ANATIDAE</b>									
1. Canada Goose	<i>Branta canadensis</i>		<b>2</b>	<b>6</b>	<b>15</b>	<b>2</b>	<b>8</b>	<b>12</b>	
2. Mute Swan	<i>Cygnus olor</i>					<b>1</b>			
3. Wood Duck	<i>Aix sponsa</i>		<b>3</b>	<b>2</b>	<b>2</b>	<b>2</b>			
4. Mallard	<i>Anas platyrhynchos</i>		<b>3</b>	<b>3</b>				<b>2</b>	
5. Mottled Duck	<i>Anas fulvigula</i>					<b>10</b>			
6. Blue-winged Teal	<i>Anas discors</i>			<b>14</b>	<b>12</b>	<b>57</b>			
7. Red-breasted Merganser	<i>Mergus serrator</i>				<b>1</b>				
<b>ODONTOPHORIDAE</b>									
8. Northern Bobwhite	<i>Colinus virginianus</i>					<b>1</b>			
<b>PHASIANIDAE</b>									
9. Wild Turkey	<i>Meleagris gallopavo</i>					<b>1</b>			
<b>GAVIIDAE</b>									
10. Red-throated Loon	<i>Gavin stellata</i>			<b>1</b>					
11. Common Loon	<i>Gavin immer</i>				<b>1</b>				
<b>PODICIPEDIDAE</b>									
12. Pied-billed Grebe	<i>Podilymbus podiceps</i>					<b>3</b>			
<b>CICONIIDAE</b>									
13. Wood Stork	<i>Mycteria americana</i>				<b>3</b>	<b>35</b>	<b>3</b>		
<b>SULIDAE</b>									
14. Northern Gannet	<i>Morus bassanus</i>			<b>8</b>	<b>1</b>				
<b>PHALACROCORACIDAE</b>									

**Chapel Hill to Charleston  
Otus asio Tours**

15. Double-crested Cormorant	<i>Phalacrocorax auritis</i>		<b>18</b>	<b>120</b>	<b>85</b>	<b>2</b>	<b>26</b>	<b>15</b>	
<b>ANHINGIDAE</b>									
16. Anhinga	<i>Anhinga anhinga</i>			<b>4</b>	<b>9</b>	<b>18</b>	<b>4</b>		
<b>PELICANIDAE</b>									
17. American White Pelican	<i>Pelecanus erythrorhynchos</i>					<b>1</b>			
18. Brown Pelican	<i>Pelecanus occidentalis</i>			<b>20</b>	<b>20</b>		<b>35</b>	<b>10</b>	
<b>ARDEIDAE</b>									
19. American Bittern	<i>Botaurus lentiginosus</i>						<b>1</b>		
20. Least Bittern	<i>Ixobrychus exilis</i>					<b>3</b>			
21. Great Blue Heron	<i>Ardea herodias</i>		<b>3</b>	<b>3</b>	<b>4</b>	<b>4</b>			
22. Great Egret	<i>Ardea alba</i>			<b>45</b>	<b>30</b>	<b>6</b>	<b>1</b>		
23. Snowy Egret	<i>Egretta thula</i>			<b>30</b>	<b>20</b>	<b>116</b>	<b>2</b>		
24. Little Blue Heron	<i>Egretta caerulea</i>				<b>1</b>		<b>1</b>		
25. Tricolored Heron	<i>Egretta tricolor</i>			<b>5</b>	<b>2</b>	<b>32</b>	<b>4</b>		
26. Cattle Egret	<i>Bubulcus ibis</i>			<b>3</b>		<b>1</b>			
27. Green Heron	<i>Butorides virescens</i>			<b>3</b>	<b>8</b>	<b>9</b>			
28. Black-crowned Night-Heron	<i>Nycticorax nycticorax</i>							<b>6</b>	
29. Yellow-crowned Night-Heron	<i>Nyctanassa violacea</i>		<b>2</b>		<b>3</b>		<b>1</b>	<b>12</b>	
<b>THRESKIORNITHIDAE</b>									
30. White Ibis	<i>Eudocimus albus</i>			<b>60</b>					
31. Glossy Ibis	<i>Plegadis falcinellus</i>				<b>55</b>	<b>2</b>			
32. Roseate Spoonbill	<i>Platalea ajaja</i>					<b>2</b>			
<b>CATHARTIDAE</b>									
33. Black Vulture	<i>Coragyps atratus</i>		<b>2</b>		<b>3</b>	<b>25</b>	<b>5</b>		
34. Turkey Vulture	<i>Cathartes aura</i>	<b>3</b>	<b>10</b>	<b>15</b>	<b>30</b>	<b>30</b>	<b>10</b>	<b>15</b>	

**Chapel Hill to Charleston  
Otus asio Tours**

<b>PANDIONIDAE</b>										
35. Osprey	<i>Pandion haliaetus</i>			<b>2</b>	<b>4</b>	<b>4</b>	<b>4</b>			
<b>ACCIPITRIDAE</b>										
36. Swallow-tailed Kite	<i>Elanoides forficatus</i>						<b>3</b>			
37. Northern Harrier	<i>Circus cyaneus</i>					<b>1</b>				
38. Cooper's Hawk	<i>Accipiter cooperii</i>		<b>1</b>							
39. Bald Eagle	<i>Haliaeetus leucocephalus</i>			<b>2</b>	<b>3</b>	<b>4</b>				
40. Red-shouldered Hawk	<i>Buteo lineatus</i>		<b>2</b>		<b>1</b>		<b>2</b>	<b>2</b>		
41. Red-tailed Hawk	<i>Buteo jamaicensis</i>	<b>1</b>	<b>1</b>				<b>2</b>		<b>1</b>	
<b>RALLIDAE</b>										
42. King Rail	<i>Rallus elegans</i>							<b>1</b>		
43. Clapper Rail	<i>Rallus crepitans</i>			<b>1</b>	<b>8</b>					
44. Black Rail	<i>Laterallus jamaicensis</i>						<b>1</b>			
45. Virginia Rail	<i>Rallus limicola</i>					<b>1</b>				
46. Sora	<i>Porzana carolina</i>					<b>1</b>				
47. Purple Gallinule	<i>Porphyrio martinicus</i>						<b>1</b>			
48. Common Gallinule	<i>Gallinula galeata</i>					<b>3</b>	<b>35</b>	<b>1</b>		
49. American Coot	<i>Fulica americana</i>					<b>1</b>	<b>18</b>			
<b>RECURVIROSTRIDAE</b>										
50. Black-necked Stilt	<i>Himantopus mexicanus</i>						<b>8</b>			
51. American Avocet	<i>Recurvirostra americana</i>						<b>3</b>			
<b>HAEMATOPODIDAE</b>										
52. American Oystercatcher	<i>Haematopus palliatus</i>			<b>4</b>	<b>4</b>			<b>2</b>	<b>4</b>	
<b>CHARADRIIDAE</b>										
53. Black-bellied Plover	<i>Pluvialis squatarola</i>			<b>9</b>	<b>2</b>	<b>1</b>		<b>2</b>		
54. Wilson's Plover	<i>Charadrius wilsonia</i>			<b>2</b>						

**Chapel Hill to Charleston  
Otus asio Tours**

55. Semipalmated Plover	<i>Charadrius semipalmatus</i>			<b>10</b>	<b>8</b>	<b>200</b>			
56. Piping Plover	<i>Charadrius melodus</i>			<b>1</b>					
57. Killdeer	<i>Charadrius vociferus</i>		<b>2</b>	<b>1</b>	<b>1</b>	<b>2</b>			
<b>SCOLOPACIDAE</b>									
58. Spotted Sandpiper	<i>Actitis macularius</i>				<b>1</b>	<b>2</b>			
59. Solitary Sandpiper	<i>Tringa solitaria</i>		<b>2</b>			<b>4</b>	<b>1</b>		
60. Greater Yellowlegs	<i>Tringa melanoleuca</i>			<b>8</b>	<b>2</b>	<b>10</b>	<b>1</b>		
61. Willet	<i>Tringa semipalmata</i>			<b>35</b>	<b>75</b>	<b>2</b>			
62. Lesser Yellowlegs	<i>Tringa flavipes</i>			<b>2</b>	<b>3</b>	<b>125</b>	<b>2</b>		
63. Whimbrel	<i>Numenius phaeopus</i>			<b>4</b>			<b>3</b>		
64. Marbled Godwit	<i>Limosa fedoa</i>			<b>1</b>	<b>2</b>				
65. Ruddy Turnstone	<i>Arenaria interpres</i>				<b>2</b>		<b>15</b>		
66. Sanderling	<i>Calidris alba</i>			<b>25</b>	<b>25</b>		<b>2</b>		
67. Dunlin	<i>Calidris alpina</i>			<b>15</b>	<b>40</b>	<b>100</b>	<b>30</b>		
68. Least Sandpiper	<i>Calidris minutilla</i>					<b>125</b>	<b>2</b>		
69. Semipalmated Sandpiper	<i>Calidris pusilla</i>					<b>3</b>			
70. Western Sandpiper	<i>Calidris mauri</i>			<b>1</b>					
71. Short-billed Dowitcher	<i>Limnodromus griseus</i>			<b>6</b>	<b>15</b>	<b>125</b>			
72. Long-billed Dowitcher	<i>Limnodromus scolopaceus</i>					<b>2</b>			
73. Wilson's Snipe	<i>Gallinago delicata</i>		<b>1</b>						
<b>LARIDAE</b>									
74. Bonaparte's Gull	<i>Chroicocephalus philadelphia</i>			<b>1</b>		<b>1</b>	<b>1</b>		
75. Laughing Gull	<i>Leucophaeus atricilla</i>			<b>30</b>	<b>35</b>	<b>25</b>	<b>60</b>	<b>50</b>	
76. Ring-billed Gull	<i>Larus delawarensis</i>			<b>6</b>					
77. Herring Gull	<i>Larus argentatus</i>			<b>4</b>			<b>2</b>		
78. Great Black-backed Gull	<i>Larus marinus</i>			<b>8</b>					
79. Least Tern	<i>Sternula antillarum</i>			<b>35</b>	<b>10</b>	<b>4</b>	<b>10</b>		
80. Caspian Tern	<i>Hydroprogne caspia</i>				<b>2</b>				
81. Common Tern	<i>Sterna hirundo</i>			<b>2</b>			<b>3</b>		

**Chapel Hill to Charleston  
Otus asio Tours**

82.	Forster's Tern	<i>Sterna forsteri</i>			<b>8</b>	<b>10</b>	<b>15</b>	<b>12</b>		
83.	Royal Tern	<i>Thalasseus maximus</i>			<b>40</b>	<b>15</b>		<b>127</b>	<b>5</b>	
84.	Sandwich Tern	<i>Thalasseus sandvicensis</i>			<b>30</b>	<b>4</b>		<b>4</b>		
85.	Black Skimmer	<i>Rynchops niger</i>			<b>200</b>	<b>2</b>	<b>150</b>		<b>2</b>	
<b>COLUMBIDAE</b>										
86.	Feral Pigeon	<i>Columba livia</i>			<b>7</b>	<b>3</b>	<b>8</b>	<b>8</b>	<b>2</b>	
87.	Eurasian Collared-Dove	<i>Streptopelia decaocto</i>				<b>3</b>	<b>3</b>		<b>1</b>	
88.	Mourning Dove	<i>Zenaida macroura</i>	<b>2</b>	<b>3</b>	<b>6</b>	<b>7</b>	<b>9</b>	<b>4</b>	<b>2</b>	
<b>CUCULIDAE</b>										
89.	Yellow-billed Cuckoo	<i>Coccyzus americanus</i>				<b>2</b>		<b>1</b>		
<b>TYTONIDAE</b>										
90.	Barn Owl	<i>Tyto alba</i>						<b>1</b>		
<b>STRIGIDAE</b>										
91.	Barred Owl	<i>Strix varia</i>							<b>2</b>	
<b>CAPRIMULGIDAE</b>										
92.	Chuck-will's-widow	<i>Antrostomus carolinensis</i>						<b>2</b>		
<b>APODIDAE</b>										
93.	Chimney Swift	<i>Chaetura pelagica</i>	<b>4</b>	<b>4</b>		<b>3</b>	<b>45</b>	<b>50</b>	<b>40</b>	
<b>TROCHILIDAE</b>										
94.	Ruby-throated Hummingbird	<i>Archilochus colubris</i>	<b>1</b>			<b>1</b>		<b>1</b>		
<b>ALCEDINIDAE</b>										
95.	Belted Kingfisher	<i>Megaceryle alcyon</i>						<b>1</b>		

**Chapel Hill to Charleston  
Otus asio Tours**

<b>PICIDAE</b>									
96. Red-headed Woodpecker	<i>Melanerpes erythrocephalus</i>		<b>3</b>	<b>2</b>	<b>1</b>				
97. Red-bellied Woodpecker	<i>Melanerpes carolinus</i>	<b>2</b>	<b>4</b>		<b>4</b>	<b>6</b>	<b>6</b>	<b>2</b>	
98. Downy Woodpecker	<i>Picoides pubescens</i>	<b>2</b>	<b>1</b>		<b>1</b>	<b>2</b>	<b>1</b>	<b>2</b>	
99. Hairy Woodpecker	<i>Picoides villosus</i>		<b>1</b>						
100. Red-cockaded Woodpecker	<i>Picoides borealis</i>				<b>3</b>				
101. Northern Flicker	<i>Colaptes auatus</i>		<b>1</b>	<b>2</b>		<b>2</b>		<b>1</b>	
102. Pileated Woodpecker	<i>Dryocopus pileatus</i>					<b>2</b>	<b>1</b>		
<b>FALCONIDAE</b>									
103. Merlin	<i>Falco columbarius</i>					<b>1</b>			
<b>TYRANNIDAE</b>									
104. Eastern Wood-Pewee	<i>Contopus virens</i>			<b>1</b>	<b>2</b>	<b>1</b>	<b>1</b>		
105. Acadian Flycatcher	<i>Empidonax virescens</i>		<b>1</b>		<b>1</b>		<b>3</b>		
106. Eastern Phoebe	<i>Sayornis phoebe</i>		<b>2</b>						
107. Great Crested Flycatcher	<i>Myiarchus crinitus</i>		<b>1</b>	<b>2</b>	<b>3</b>	<b>6</b>	<b>2</b>		
108. Eastern Kingbird	<i>Tyrannus tyrannus</i>		<b>2</b>			<b>3</b>		<b>1</b>	
<b>VIREONIDAE</b>									
109. White-eyed Vireo	<i>Vireo griseus</i>		<b>4</b>		<b>2</b>	<b>4</b>	<b>6</b>	<b>1</b>	
110. Yellow-throated Vireo	<i>Vireo flavifrons</i>		<b>1</b>		<b>1</b>	<b>3</b>	<b>1</b>		
111. Red-eyed Vireo	<i>Vireo olivaceus</i>		<b>5</b>		<b>2</b>		<b>3</b>		
<b>CORVIDAE</b>									
112. Blue Jay	<i>Cyanocitta cristata</i>	<b>2</b>	<b>4</b>	<b>1</b>	<b>4</b>	<b>3</b>	<b>1</b>	<b>3</b>	
113. American Crow	<i>Corvus brachyrhynchos</i>	<b>2</b>	<b>6</b>	<b>3</b>	<b>1</b>	<b>5</b>	<b>3</b>	<b>1</b>	
114. Fish Crow	<i>Corvus ossifragus</i>		<b>1</b>	<b>3</b>	<b>3</b>	<b>1</b>	<b>4</b>	<b>1</b>	
<b>HIRUNDINIDAE</b>									
115. Northern Rough-winged Swallow	<i>Stelgidopteryx serripennis</i>		<b>1</b>			<b>1</b>			

**Chapel Hill to Charleston  
Otus asio Tours**

116. Purple Martin	<i>Progne subis</i>			4	8	11	2		
117. Tree Swallow	<i>Tachycineta bicolor</i>				2	14	10		
118. Barn Swallow	<i>Hirundo rustica</i>		1	12	8	2	2		
119. Cliff Swallow	<i>Petrochelidon pyrrhonota</i>								
<b>PARIDAE</b>									
120. Carolina Chickadee	<i>Poecile carolinensis</i>	2	6	1	6	2	1		
121. Tufted Titmouse	<i>Baeolophus bicolor</i>	2	11	2	8	10	8	4	
<b>SITTIDAE</b>									
122. White-breasted Nuthatch	<i>Sitta carolinensis</i>	1	1		1	1	1	1	
123. Red-breasted Nuthatch	<i>Sitta canadensis</i>				1				
124. Brown-headed Nuthatch	<i>Sitta pusilla</i>	2	1	4		1			
<b>TROGLODYTIDAE</b>									
125. House Wren	<i>Troglodytes aedon</i>		2						1
126. Marsh Wren	<i>Cistothorus palustris</i>				5	1			
127. Carolina Wren	<i>Thryothorus ludovicianus</i>	3	10	2	7	2	4	1	
<b>POLIOPTILIDAE</b>									
128. Blue-gray Gnatcatcher	<i>Poliioptila caerulea</i>		11	1	4	2	5	1	
<b>REGULIDAE</b>									
129. Ruby-crowned Kinglet	<i>Regulus calendula</i>		3						
<b>TURDIDAE</b>									
130. Eastern Bluebird	<i>Sialia sialis</i>	2	4		3	16		15	
131. Wood Thrush	<i>Hylocichla mustelina</i>						1		
132. American Robin	<i>Turdus migratorius</i>	1	2	1	1			4	
<b>MIMIDAE</b>									

**Chapel Hill to Charleston  
Otus asio Tours**

133. Gray Catbird	<i>Dumetella carolinensis</i>					<b>1</b>		<b>1</b>	
134. Brown Thrasher	<i>Toxostoma rufum</i>		<b>1</b>	<b>1</b>	<b>1</b>	<b>3</b>		<b>1</b>	
135. Northern Mockingbird	<i>Mimus polyglottos</i>	<b>1</b>	<b>6</b>	<b>10</b>	<b>15</b>	<b>10</b>	<b>6</b>	<b>10</b>	
<b>STURNIDAE</b>									
136. European Starling	<i>Sturnus vulgaris</i>		<b>2</b>	<b>8</b>	<b>4</b>	<b>2</b>	<b>4</b>	<b>15</b>	
<b>BOMBYCILLIDAE</b>									
137. Cedar Waxwing	<i>Bombycilla cedrorum</i>					<b>40</b>	<b>15</b>		
<b>PARULIDAE</b>									
138. Ovenbird	<i>Seiurus aurocapilla</i>		<b>3</b>						
139. Louisiana Waterthrush	<i>Parkesia motacilla</i>		<b>1</b>						
140. Northern Waterthrush	<i>Parkesia noveboracensis</i>		<b>2</b>						
141. Black-and-white Warbler	<i>Mniotilta varia</i>		<b>1</b>		<b>1</b>			<b>2</b>	
142. Prothonotary Warbler	<i>Protonotaria citrea</i>		<b>2</b>		<b>3</b>	<b>1</b>	<b>1</b>		
143. Swainson's Warbler	<i>Limnothlypis swainsonii</i>							<b>3</b>	
144. Kentucky Warbler	<i>Geothlypis formosa</i>							<b>3</b>	
145. Common Yellowthroat	<i>Geothlypis trichas</i>		<b>5</b>	<b>2</b>	<b>1</b>	<b>9</b>	<b>2</b>		
146. Hooded Warbler	<i>Setophaga citrina</i>		<b>2</b>			<b>2</b>	<b>3</b>		
147. American Redstart	<i>Setophaga ruticilla</i>		<b>1</b>						
148. Northern Parula	<i>Setophaga americana</i>		<b>5</b>		<b>6</b>	<b>7</b>	<b>14</b>		
149. Black-throated Blue Warbler	<i>Setophaga caerulescens</i>							<b>1</b>	
150. Pine Warbler	<i>Setophaga pinus</i>	<b>1</b>	<b>1</b>		<b>2</b>	<b>3</b>	<b>2</b>	<b>1</b>	
151. Yellow-rumped Warbler	<i>Setophaga coronata</i>	<b>3</b>	<b>16</b>	<b>3</b>	<b>10</b>			<b>1</b>	
152. Yellow-throated Warbler	<i>Setophaga dominica</i>				<b>3</b>	<b>12</b>	<b>5</b>		
153. Prairie Warbler	<i>Setophaga discolor</i>	<b>1</b>	<b>1</b>	<b>2</b>					
<b>EMBERIZIDAE</b>									
154. Bachman's Sparrow	<i>Peucaea aestivalis</i>			<b>5</b>	<b>1</b>				
255. Seaside Sparrow	<i>Ammodramus maritimus</i>				<b>1</b>	<b>1</b>			



**Chapel Hill to Charleston  
Otus asio Tours**

156. Chipping Sparrow	<i>Spizella passerina</i>	<b>3</b>	<b>4</b>	<b>2</b>	<b>2</b>	<b>15</b>		<b>2</b>	
157. Field Sparrow	<i>Spizella pusilla</i>		<b>1</b>						
158. White-crowned Sparrow	<i>Zonotrichia leucophrys</i>		<b>2</b>						
159. White-throated Sparrow	<i>Zonotrichia albicollis</i>	<b>5</b>	<b>27</b>	<b>6</b>	<b>4</b>			<b>1</b>	
160. Savannah Sparrow	<i>Passerculus sandwichensis</i>		<b>3</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>3</b>		
161. Song Sparrow	<i>Melospiza melodia</i>	<b>1</b>						<b>1</b>	
162. Swamp Sparrow	<i>Melospiza georgiana</i>		<b>3</b>		<b>3</b>	<b>2</b>			
163. Eastern Towhee	<i>Pipilo erythrophthalmus</i>	<b>2</b>	<b>5</b>	<b>2</b>	<b>5</b>	<b>15</b>		<b>1</b>	
<b>CARDINALIDAE</b>									
164. Summer Tanager	<i>Piranga rubra</i>		<b>1</b>		<b>2</b>	<b>2</b>	<b>2</b>		
165. Northern Cardinal	<i>Cardinalis cardinalis</i>	<b>4</b>	<b>13</b>	<b>6</b>	<b>18</b>	<b>25</b>	<b>9</b>	<b>6</b>	
166. Blue Grosbeak	<i>Passerina caerulea</i>				<b>1</b>	<b>2</b>			
167. Indigo Bunting	<i>Passerina cyanea</i>		<b>1</b>			<b>2</b>			
168. Painted Bunting	<i>Passerina ciris</i>			<b>3</b>	<b>3</b>	<b>10</b>	<b>2</b>		
<b>ICTERIDAE</b>									
169. Red-winged Blackbird	<i>Agelaius phoeniceus</i>		<b>87</b>	<b>6</b>	<b>18</b>	<b>75</b>	<b>6</b>		
170. Eastern Meadowlark	<i>Sturnella magna</i>		<b>1</b>					<b>2</b>	
171. Common Grackle	<i>Quiscalus quiscula</i>		<b>1</b>	<b>4</b>	<b>6</b>	<b>9</b>		<b>1</b>	
172. Boat-tailed Grackle	<i>Quiscalus major</i>			<b>15</b>	<b>30</b>	<b>20</b>	<b>3</b>	<b>15</b>	
173. Brown-headed Cowbird	<i>Molothrus ater</i>		<b>3</b>	<b>1</b>	<b>9</b>			<b>1</b>	
174. Orchard Oriole	<i>Icterus spurius</i>							<b>3</b>	
<b>FRINGILLIDAE</b>									
175. House Finch	<i>Haemorhous mexicanus</i>	<b>3</b>	<b>1</b>	<b>3</b>		<b>1</b>		<b>2</b>	
176. Pine Siskin	<i>Spinus pinus</i>	<b>4</b>						<b>2</b>	
177. American Goldfinch	<i>Spinus tristis</i>	<b>3</b>	<b>8</b>	<b>1</b>				<b>4</b>	
<b>PASSERIDAE</b>									
178. House Sparrow	<i>Passer domesticus</i>		<b>3</b>	<b>1</b>	<b>2</b>	<b>1</b>	<b>2</b>	<b>4</b>	

**Chapel Hill to Charleston  
Otus asio Tours**

	<b>MAMMALS</b>								
1.	Gray Squirrel	<i>Sciurus caroliniensis</i>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>
2.	Raccoon	<i>Procyon lotor</i>			<b>X</b>	<b>X</b>			
3.	Virginia Opossum	<i>Didelphis virginiana</i>					<b>X</b>		
4.	White-tailed Deer	<i>Odocoileus virginianus</i>		<b>X</b>					
5.	Brown Rat	<i>Rattus norvegicus</i>	<b>X</b>						<b>X</b>
6.	Atlantic Bottlenose Dolphin	<i>Tursiops truncatus</i>				<b>X</b>		<b>X</b>	